

Machine details

Name	yamazaki , mazak , centre lathe
Item Number	18
Manufacturer	yamazaki
Type	
Available from	immediatly
Quality	Working Condition
Location	hadera

Description

Good condition, 3-jaw chuck 250mm, Swing over bed 540 mm, Turning diameter over support 340mm, Turning length 1600 mm, Spindle bore 80 mm, Speed range from 25 to 1500 rpm Taper of tailstock sleeve MK3, quick stop by pedal, Voltage 380 V Total power requirement of 5.5 kW Machine weight about 3 ton Dimensions of the machine ca. 3.1 x 1 x 1,2 m +loneta

Costs

Auction Fee	15%
VAT	VAT Not Included
Delivery Terms	loading factory gate by the buyer
Cost Loading	1600 NIS
Shipping costs	
Payment terms	Full payment before collection

Technical details

Dimensions	1000 x 1200 x 3100 mm
Weight	3000 kg

Contact details

Name	יונתן שפר
Phone	
Fax	

Mobile

0547708356

Email

yonisc@gmail.com

Gallery








YAMAZAKI MACHINERY WORKS
NAGOYA JAPAN

A 1050 720 150
B 350 240 50
A 112 77 160
B 37 25 5

	1	2	3	4	5	6	7	8	9	10
I	1.000	1.122	1.259	1.414	1.588	1.783	1.999	2.238	2.501	2.789
II	1.000	1.122	1.259	1.414	1.588	1.783	1.999	2.238	2.501	2.789
I	1.000	1.122	1.259	1.414	1.588	1.783	1.999	2.238	2.501	2.789
II	1.000	1.122	1.259	1.414	1.588	1.783	1.999	2.238	2.501	2.789







		1	2	3	4	5	6	7	8	9	10	
mm	I	L	.3	—	—	—	—	.75	—	—	—	
		T	1	—	—	1.25	—	—	1.5	—	1.75	
		S	2	2.25	—	2.5	2.75	—	3	3.25	3.5	
		H	4	4.5	4.75	5	5.5	5.75	6	6.5	6.75	7
mm	II	L	.5	—	—	—	—	.75	—	—	—	
		T	1	—	—	1.25	—	—	1.5	—	1.75	
		S	2	2.25	—	2.5	2.75	—	3	3.25	3.5	
		H	4	4.5	—	5	5.5	—	6	6.5	—	7
mm	I	L	.068	.076	.080	.084	.093	.097	.101	.110	.114	.118
		T	.135	.152	.161	.169	.186	.194	.203	.220	.228	.237
		S	.27	.30	.32	.34	.37	.39	.41	.44	.46	.47
		H	.54	.61	.64	.68	.74	.78	.81	.88	.91	.95
mm	II	L	.107	.095	.090	.086	.078	.075	.072	.068	.064	.061
		T	.215	.181	.181	.172	.156	.148	.143	.132	.127	.123
		S	.43	.38	.36	.34	.31	.30	.28	.26	.25	.24
		H	.86	.76	.72	.69	.62	.60	.57	.53	.51	.48

		1	2	3	4	5	6	7	8	9	10	
inch	II	H	4	4 1/2	4 3/4	5	5 1/2	5 3/4	6	6 1/2	6 3/4	7
		S	8	9	9 1/2	10	11	11 1/2	12	12	13 1/2	14
		T	16	18	19	20	22	23	24	26	27	28
		L	32	36	38	40	44	46	48	52	54	56
inch	II	H	4	4 1/2	—	5	5 1/2	—	6	6 1/2	—	7
		S	8	9	—	10	11	—	12	—	—	14
		T	16	18	—	20	22	—	24	—	—	28
		L	—	—	—	—	—	—	—	—	—	—
inch	I	L	.0027	.0030	.0032	.0033	.0037	.0038	.0040	.0043	.0045	.0047
		T	.0053	.0060	.0063	.0067	.0070	.0076	.0080	.0085	.0090	.0093
		S	.0106	.0120	.0126	.0133	.0146	.0153	.0160	.0170	.0180	.0186
		H	.021	.024	.025	.027	.028	.031	.032	.035	.036	.037
inch	II	L	.0042	.0038	.0036	.0034	.0031	.0028	.0026	.0025	.0025	.0024
		T	.0084	.0075	.0071	.0068	.0061	.0059	.0056	.0052	.0050	.0048
		S	.0168	.0150	.0142	.0135	.0123	.0118	.0113	.0104	.0100	.0097
		H	.034	.030	.028	.027	.025	.024	.023	.021	.020	.019







